

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	485292	(Ishida).in. (Tanaka).in. (Kusano).in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/21 16:15
L2	6595	((709/238,228)).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/21 16:16
L3	3061	router same (encapsulat \$3 decapsulat\$3) same packets	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/21 16:17
L4	235	(1 2) and 3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/21 16:17
L5	4021	((709/238)).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/21 16:18
S1	6	US-2769112-\$.DID. OR US-20020073215-\$. DID. OR US- 20010034759-\$.DID. OR US-9806204-\$.DID. OR US-2720082-\$.DID.	US-PGPUB; USPAT; USOCR	OR	ON	2009/03/19 10:56
S2	4	US-2769112-\$.DID. OR US-1376351-\$.DID.	US-PGPUB; USPAT; USOCR	OR	ON	2009/03/19 10:56
S3	2	US-2769112-\$.DID. OR WO-0122683-\$.DID. OR JP-11187061-\$.DID. OR JP-2003111170-\$.DID.	US-PGPUB; USPAT; USOCR	OR	ON	2009/03/19 10:56

S4	18	relay adj device same IP with ("4" and "6")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/19 11:23
S5	0	2002/073215	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/19 12:18
S6	6	2002/0073215	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/19 12:19
S7	3	"0122683"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/19 12:19
S8	0	2002/0732150	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/19 12:21
S9	2	"US 20060129694"	US-PGPUB; USPAT; USOCR; DERWENT	OR	ON	2009/03/19 14:02
S10	3	"0141395"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/19 15:39
S11	4	"0131888"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/19 15:39
S12	0	server same ("model indentification" with (router client)) same (capsulat\$3 decapsulat \$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/20 10:49

S13	4	server same (model with (router client)) same (capsulat\$3 decapsulat\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/20 10:49
S14	3	"7188,191"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/20 14:59
S15	21	server same search same client same "IP address" same list same display	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/20 15:21
S16	8301	server with search with client	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/20 15:25
S17	172	server with search with client with "IP address"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/20 15:25
S18	78	server near2 search with client with "IP address"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/20 15:25
S19	0	(server near2 search with client with "IP address") same display near2 list	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/20 15:26
S20	0	(server near2 search with client with "IP address") same display same list	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/20 15:26

S21	4	(server near2 search with client with "IP address") same display	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/20 15:26
S22	2	server same search same router same "IP address" same list same display	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/20 15:34
S23	6	server near2 search with router with "IP address"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/20 15:35
S24	121	router with search with client	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/20 15:37
S25	11	router with search with client with "IP address"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/20 15:37
S26	334685	host with search clients	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/20 15:49
S27	606	host with search with clients	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/20 15:50
S28	10	host with search with clients same router	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/20 15:50

S29	233	"client device control"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/20 15:54
S30	8	"client device control" same search	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/20 15:54
S31	0	"search for client devices"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/20 15:58
S32	0	"search for client device"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/20 15:58
S33	44	"search client device"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/20 15:58
S34	15	"search client device" with server	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/20 16:00
S35	1292	server with controlling with client with device	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/20 16:08
S36	104	server near2 controlling with client adj device	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/20 16:08

S37	0	server near2 controlling with client adj device with search	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/20 16:08
S38	0	server near2 controlling with client adj device same search	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/20 16:09
S39	287	network adj administrator AND router with settings	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/20 17:25
S40	71	network adj administrator AND router with settings and choose	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/20 17:27
S41	233	change with router with settings	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/20 17:28
S42	0	(change with router with settings) same display same list	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/20 17:28
S43	12	(change with router with settings) same display	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/20 17:28
S44	1	display with list with routers with client	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/20 17:32

S45	0	display with list with routers same client same server	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/20 17:33
S46	0	(display with list with routers) same client same server	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/20 17:33
S47	11990	cisco.as.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/20 17:38
S48	79	S47 and (search with router)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/20 17:38
S49	5	S47 and (search with router with server)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/20 17:39
S50	1	network adj device adj explorer	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/20 17:42
S51	56	network adj device with explorer	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/20 17:55
S52	1	display with list with network with topography	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/20 17:56

S53	26	display with network with topography	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/20 17:57
S54	10115	(find locate search) with (devices clients router) with (network)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/20 18:00
S55	3321	(find locate search) with (devices clients router) with (network) with server	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/20 18:00
S56	350	(find locate search) with (devices clients router) with (network) with server with address	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/20 18:00
S57	1	(find locate search) with (devices clients router) with (network) with server with address same control adj device	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/20 18:01
S58	350	(find locate search) with (devices clients router) with (network) with server with address	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/20 18:02
S59	6	(filter same rules same interface same (edit change) same server same client) AND authentication	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/21 14:11
S60	2	((edit with rule with filter) same (client server)) and authentication	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/21 14:14



S61	9	((setup with rule with filter) same (client server)) and authentication	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/21 14:15
S62	12	((setup with rule with filter) same (client server))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/21 14:15
S63	29	(setup with rule with filter)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/21 14:17
S64	14	(setup with rule with filter with user)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/21 14:17
S65	23	router with filter same rules with user	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/21 14:18
S66	47	user with change with filter with rule	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/21 14:22
S67	0	user with change with filter with rule same packetw	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/21 14:22
S68	3	user with change with filter with rule same packets	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/21 14:22

3/ 21/ 2009 4:18:57 PM

C:\ Documents and Settings\ nbearry\ My Documents\ EAST\ Workspaces\ 10\ 500\ 10537279.  
wsp